



Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



Shijiazhuang Youge Biotech CO., LTD. Catalogue

Insecticide			
Products	Tech	Formulations	
Microbial insecticides, Controlling Homoptera, Lepidoptera	Abamectin	95%TC	18g/L EC, 36g/L EC, 50g/L EC,10%DF
	Emamectin Benzoate	70%TC	19g/L EC, 20g/L EC; 5%WDG,5.7%WDG/DF, 30%WDG
	Spinosad	95%TC	240g/L SC, 480g/L SC
	Bacillus thuringiensis	50000IU/mg	16000IU/mg WP, 8000IU/mg SC
Acaricide insecticide	Spirodiclofen	98%TC	240g/L SC
	Pyridaben	97%TC	20%EC, 20%WP
	Etoxazole	97%TC	110g/L SC, 30%SC
	Hexythiazox	97%TC	5%EC
	Bifenazate	97%TC	240g/L SC, 430g/L SC
	Propargite	97%TC	57%EC,73%EC
	Amitraz	98%TC	125g/L EC,200g/L EC
	Lufenuron	97%TC	50g/L EC
Neonicotinoid insecticides	Thiamethoxam	97%TC	25%WDG/DF, 75%WDG/DF, 350g/l FS
	Acetamiprid	97%TC	20%SP; 20%WP, 40%WDG
	Imidacloprid	97%TC	200g/L SL; 350g/L SC; 10%WP,25%WP, 600g/l FS,70%WP/WDG/WS
	Nitenpyram	97%TC	10%SL,50%WDG
	Flonicamid	97%TC	20%SC, 50%WDG
	Dinotefuran	95%TC, 98%TC	200g/L SC; 20%SG, 70%WDG, 80%WDG
Pyrethroid Insecticides,Has hygienic insecticidal effect	Permethrin	95%TC	25%WP, 50%EC
	Cypermethrin	95%TC	5%EC,10%EC/WP,20%EC,25%EC,40%EC
	Alpha cypermethrin	95%TC	5%EC, 100g/L EC/SC
	Beta cypermethrin	95%TC	4.5%EC, 10%WP
	Fenvalerate	90%TC	20%EC
	Lambda-cyhalothrin	96%TC	25g/L EC,50g/L EC; 10%EC/WP,15%WP
	Bifenthrin	97%TC	2.5%EC, 10%EC; 5%SC
	Beta-cyfluthrin	95%TC	5%EC, 10%EC, 10%WP
	Deltamethrin	98%TC	2.5%EC, 5%EC; 2.5%WP,5%WP, 10%WP
Carbamate insecticides	Carbofuran	98%TC	3%GR, 5%GR, 10%GR
	Carbosulfan	95%TC	250g/L EC
	Methomyl	98%TC	20%EC, 40%SP,60%SP, 90%SP
	Carbaryl	98%TC	85%WP

Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



	Oxamyl	95%TC	24%SL , 10%GR
Organic phosphorous insecticide	Chlorpyrifos	97%TC	480g/L EC, 400g/L EC, 5%GR
	Dimethoate	98%TC	40%EC
	Malathion	95%TC	40%EC, 50%EC, 57%EC; 50%WP
	DDVP	97%TC	50%EC, 77.5%EC=1000g/l EC
	Triazophos	95%TC	40%EC
	Profenofos	95%TC	25%EC, 50%EC
	Phoxim	92%TC	50%EC
	Acephate	97%TC	75%SP
	Fenitrothion	95%TC	50%EC
	Diazinon	95%TC	600g/L EC
	Nereistoxin insecticide	Monosultap	97%TC
Cartap		98%TC	98%SP
Thiocyclam-hydrogen-xalate		95%TC	50%SP
Insect growth regulators	Cyromazine	97%TC	10%SC,30%WP
	Pyriproxyfen	97%TC	10%EC
	Tebufenozide	97%TC	24%SC, 25%WP, 50%WP
	Buprofezin	98%TC	25%WDG,40%SC
Botanical Insecticides	Matrine	/	0.1-2%SL ,0.3%WP
	Pyrethrins	70%TC	1.5%EW
Others	Indoxacarb	95%TC	150g/L SC; 150g/L EC; 30%WDG
	Spirotetramat	97%TC	22.4%SC
	Chlorfenapyr	98%TC	240g/L SC, 360g/L SC
	Pymetrozine	97%TC	50%WDG/SC
	Fipronil	97%TC	5%SC, 10%SC, 20%SC; 80%WDG;
	Metaldehyde	98%TC	6%GR,15%GR,80%WP
The mixed Formulation Products	Emamectin Benzoate 3.5%+ indoxacarb 7.5%SC		
	Emamectin Benzoate10%+Lufenuron 40%WDG		
	Emamectin Benzoate5%+lambda cyhalothrin 5%EC		
	Emamectin Benzoate10%+Chlorfenapyr 30%WDG		
	Pymetrozine 50%+Dinotefuron 20%WDG/DF		

Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



The mixed Formulation Products	Nitenpyram 20% + Pymetrozine 60%WDG
	Lambda-cyhalothrin106g/L+Thiamethoxam 141g/l SC
	Abamectin1.8%+Acetamiprid 3.2%EC
	Abamectin1.8%+lambda cyhalothrin5%EC
	Abamectin3%+Cyromazine 30%SC
	Abamectin1%+Fosthiazate 10%GR
	Abamectin1%+Cyromazine 30%SC
	Abamectin3%+Spirotetramat 17%SC
	Abamectin5%+Spirodiclofen24%SC
	Abamectin1.8%+Pyridaben 50%SC 阿维菌素 1.8%+吡啶灵 50%SC, 杀螨
	Abamectin5%+Etoxazole20%SC 阿维菌素 5+乙螨唑 20%SC
	Bifenazate30%+Spirodiclofen10%SC 联苯肼脂 30%+螺螨酯 10%SC
	Etoxazole30%+Bifenazate15%WDG 乙螨唑 30%+联苯肼酯 15%WDG
	Hexythiazox 6%+Propargite 66%EC 噻螨酮 6%+克螨特 66% EC
	Bifenthrin 8%+Spirotetramat 22%SC 联苯菊酯 8%+螺虫乙酯 22%SC
	Spirotetramat 30%+Etoxazole 15%SC 螺虫乙酯 30%+乙螨唑 15%SC
	Spirotetramat 25%+Pymetrozine 50%WDG 螺虫乙酯 25%+吡蚜酮 50%WDG
	Pyriprooxyfen 15%+Spirotetramat 15%SC
Indoxacarb 12%+Chlorfenapyr16%SC	
Thiamethoxam10%+(Z)-9-Tricosene 0.05%WDG	

Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



	噻虫嗪 10%+诱虫烯 0.05%WDG
	Phenthoate 450g/l+Cypermethrin 60g/l EC 稻丰散 450g/l+氯氰菊酯 60g/l EC
	Profenofos 40%+Cypermethrin 4%EC 丙溴磷 40%+氯氰菊酯 4%EC
	Chlorpyrifos 50%+Cypermethrin 5%EC 毒死蜱 50+氯氰菊酯 5%EC
	Profenofos 30%+lambda cyhalothrin1.5%EC 丙溴磷 30%+功夫 1.5%EC,
	Profenofos 60%+lambda cyhalothrin5%EC 功夫 5%+丙溴磷 60% EC
	Imidacloprid20%+lambda cyhalothrin10%SC 吡虫啉 20%+功夫 10% SC
	Lambda cyhalothrin10% +Acetamiprid40%DF 功夫 10%+啶虫脒 40%DF
	Lambda cyhalothrin100g/L+Imidacloprid300g/L SC 功夫 100g/l+吡虫啉 300g/lSC
	Bifenthrin 100g/L+Imidacloprid 100g/L SC 联苯菊酯 100g/l+吡虫啉 100g/lSC
	Acetamiprid30g/l+Bifenthrin20g/L SC 啶虫脒 30g/L+联苯菊酯 20g/L SC
	Chlorpyrifos240g/L+Methomyl 100g/L EC 毒死蜱 240g/L+灭多威 100g/L, EC
	Chlorpyrifos275g/L+Dimethoate 225g/L EC 毒死蜱 275g/L+乐果 225g/L, EC
	Thiamethoxam15.4%+Imidacloprid15%+ Lambda cyhalothrin 12.1%SC 噻虫嗪 15.4% +吡虫啉 15% +功夫 12.1 % SC
	Lambda cyhalothrin2.5%+Chlorpyrifos24%+ Acetamiprid5%EC 功夫 2.5%+毒死蜱 24%+啶虫脒 5%EC

Fungicides

Product		Tech	Formulations
Advantage products	Azoxystrobin	97%TC	25%SC,50%WDG,80%WDG
	Tebuconazole	98%TC	60g/L FS, 120g/L FS; 25% SC; 25% EC
	Difenoconazole	97%TC	25%EC, 25%SC, 10%WDG, 37%WDG
	Propamocarb	97%TC	722g/L SL
	Penconazole	97%TC	100g/L EC

Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



	Mancozeb	90%TC	75%DF, 80%WP
	Pyraclostrobin	98%TC	25%SC, 25%EC, 25%WDG, 50%WDG
	Thiophanate methyl	97%TC	50%SC,70%WP
	Carbendazim	98%TC	50%SC,50%WP
	Chlorothalonil	98%TC	50%WP/SC,75%WP, 720g/L SC , 80%DF
	Hexaconazole	97%TC	50g/L SC
	Propineb	98%TC	70%WP
	Dimethomorph	98%TC	40%SC,80%WDG/DF
	Propiconazole	95%TC	250g/L EC
	Tricyclazole	97%TC	40%SC,75%WP/DF
	Metalaxyl-M	94%TC	48%EC
	Metalaxyl	98%TC	5%GR, 25%WP, 35%FS/WS
	Hymexazol	97%TC	15%SL,30%SL
	Copper oxychloride	97%TC	50%WP
	Copper hydroxide	97%TC	77%WP
	Benomyl	95%TC	50%WP
	Flutriafol	97%TC	250g/L SC
	Fosetyl-aluminium	97%TC	80%WP
	Kresoxim-methyl	98%TC	50% WDG
	Triadimefon	95%TC	25%WP
	Iprodione	97%TC	50%SC,50%WDG
	Procymidone	95%TC	50% WP
	Isoprocarb	95%TC	10%fumicants ,20%EC
	Triadimenol	95%TC	250g/L EC
<p>The mixed Formulation Products 复配产品</p>			Pyraclostrobin 5% + Metiram 55%WDG 吡唑醚菌酯 5% + 代森联 55%DF/WDG
			Dimethomorph12.3%+Pyraclostrobin6.7%WDG 烯酰吗啉 12.3%+吡唑醚菌酯 6.7%WDG
			Boscalid25.2%+Pyraclostrobin6.7%WDG 啶酰菌胺 25.2%+吡唑醚菌酯 12.8%WDG,
			Pyraclostrobin20%+Tebuconazole40%WDG 吡唑醚菌酯 20%+戊唑醇 40%WDG
			Pyraclostrobin15%+Difenoconazole10%WDG 吡唑醚菌酯 15%+苯醚甲环唑 10%WDG
			Pyraclostrobin20%+Cymoxanil 40%WDG 吡唑醚菌酯 20%+霜脲氰 40%WDG
	Streptomycin sulfate	98%TC	72%SP

Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



	Azoxystrobin 200g/L+Difenoconazole 125g/L SC 啞菌酯 200g/l + 苯醚甲环唑 125g/l SC
	Tebuconazole50%+Trifloxystrobin25%DF 戊唑醇 50%+肟菌酯 25%DF, WDG
	Famoxadone 22.5% + Cymoxanil 30% WDG/DF 悉唑菌酮 22.5% + 霜脲氰 30% WDG/DF
	Boscalid200g/L+Kresoxim-methyl 100g/L SC 啞酰菌胺 200g/L+醚菌酯 100g/L. SC
	Mancozeb 64% + Metalaxyl 8%WP 代森锰锌 64% + 甲霜灵 8% WP
	Metalaxyl-M 6% + Cuprous oxide 60%WP 精甲霜灵 6%+氧化亚铜 60%WP
	4%+Mancozeb 64% DF/WP 精甲霜灵 4%+代森锰锌 64%DF, WP
	Mancozeb 60% + Dimethomorph 9% WDG 代森锰锌 60% + 烯酰吗啉 9% WP
	Mancozeb 64% + Cymoxanil 8%WP 代森锰锌 64% + 霜脲氰 8% WP
	Dimethomorph 50%+Cymoxanil 20%WDG 烯酰吗啉 50%+霜脲氰 20%WDG
	Kasugamycin 2%+Copper oxychloride 47%WP 47%春雷.王铜 WP (Potato black shank)
	Metalaxyl 6%+Hymexazol24%AS 甲霜灵 6%+恶霉灵 24%AS
	Metalaxyl-M 6%+Copper oxide 60%WP 精甲霜灵 6%+氧化亚铜 60%WP
	Propiconazole 20%+Tebuconazole 20%EC 丙环唑 20%+戊唑醇 20%EC
	Propiconazole 200g/L+Cyproconazole 80g/L EC 丙环唑 200g/l+环唑醇 80g/lEC
	Difenoconazole 150g/L+Propiconazole 150g/L 苯醚甲环唑 150g/L+丙环唑 150g/L, EC (
	Chlorothalonil 500g/L+Metalaxyl-M 37.5g/l SC 百菌清 500g/l+精甲霜灵 37.5g/l SC
	Azoxystrobin 322g/l+Metalaxyl-M 124g/l SE 啞菌酯 322g/l+精甲霜灵 124g/l SE
	Propamocarb 625g/L+ Fluopicolide 62.5g/L SC 霜霉威 625g/L+氟啶酰菌胺 62.5g/L SC
	Propamocarb 400g/L+Cymoxanil 50g/lSC

Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



	霜霉威 400g/l+霜脲氰 50g/ISC
	Fluopicolide 17.5%+Tebuconazole17.5%SC 氟吡菌酰胺 17.5%+戊唑醇 17.5%SC
	Tebuconazole 56%+Azoxystrobin 24%WDG 戊唑醇 56%+嘧菌脂 24%WDG
	Tebuconazole 26.7%+Prochloraz 13.3%SC 戊唑醇 26.7%+咪鲜胺 13.3%SC (Banana scab, wheat scab)
	Hexaconazole 25%+Kresoxim-methyl 15%SC 己唑醇 25%+醚菌脂 15%SC (powdery mildew)
	Tricyclazole 220g/L+ Hexaconazole 30g/L SC 三环唑 220g/L+己唑醇 30g/L SC
	Chloroisobromine cyanuric acid 50% AS 50%氯溴异氰尿酸水溶性粉剂 (Fungal and Bacterial Diseases and Watermelon Bacterial Soft Rot)
	Cuprous oxide 600g/L+ Metalaxyl 120g/L WP 氧化亚铜 600g/l + 甲霜灵 120g/l WP
	Copper oxychloride 698g + Cymoxanil 42gWP 王铜 698g/l + 霜脲氰 42g/l WP

Herbicides

Products		Tech	Formulations
Sterilant herbicide	Glyphosate	95%TC	360g/l SL, 480g/l SL,540g/l SL ,75.7%WDG
	Paraquat	42%TK	20%SL,276g/l SL
	Aquacide	40%TK	150g/l SL, 200g/L SL
Selective herbicide	Glufosinate-ammonium	95%TC	20%SL
	Pendimethalin	95%TC	330g/L EC,450g/L CS (cotton)
	Tribenuron-methyl	95%TC	75%WDG/DF
	Haloxypop-R-methyl	97%TC	108g/l EC
	Oxyfluorfen	97%TC	240g/l EC(Onion)
	Quizalofop-p-ethyl	95%TC	5%EC,12.5%EC,20%EC
	Nicosulfuron	95%TC	40g/L OD, 80%WDG
	Bispyribac -sodium	97%TC	100g/LSC, 40%SC/DF (Rice)
	Penoxsulam	98%TC	25g/L OD (Rice)
	Clodinafop-propargyl	97%TC	6%EC, 8%EC,10%EC, 12%EC; 15%WP
	Fenoxaprop-p-ethyl	95%TC	6.9%EW,12%EC,7.5%EC,10%EC (Wheat, rice)
	Trifluralin	97%TC	480g/L EC
	Acetochlor	97%TC	900g/L EC (Pre-emergent herbicide)
Prometryn	95%TC	50%WP,50%SC	

Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



	Atrazine	96%TC	50%SC/WP,80%WDG
	Cyhalofop-butyl	98%TC	200g/L OD,200g/L EC
	Bensulfuron methyl	96%TC	10%WP
	Metsulfuron-methyl	96%TC	60%WDG
	Metribuzin	98%TC	70%WDG/WP
	Fomesafen	98%TC	250g/L SL
	Dicamba	98%TC	480g/L SL
	Diuron	98%TC	80%WP,50%SC
	Linuron	95%TC	50%WP/SC
	Sulfosulfuron	98%TC	75%WDG
	Rimsulfuron	95%TC	25%WDG
	Bentazone	97%TC	480g/L SL
	Clethodim	91%TC	240g/l EC
	Isoxaflutole	98%TC	750g/kg WDG
	Pretilachlor	98%TC	500g/L EC
Imazamox	98%TC	4%SL	
	2,4-Dichlorophenoxyacetic acid 2,4 D	96%TC	720g/l SL ,840g/L SL
The mixed Formulation Products	Pinoxaden 45g/L+Cloquintocet-mexyl 11.25g/L 啞林草脂 45g/L+解毒啞 11.25g/L (Annual grass weed)		
	Pinoxaden 2.5%+Clodinafop-propargyl 2.5%EC 啞林草脂 2.5%+炔草脂 2.5%EC		
	24D 550g/L+Florasulam 7.4 g/L SE 24D 异辛脂 550g/L+双氟磺草胺 7.4 g/L SE (Broadleaf weed)		
	Nicosulfuron 4%+Mesotrione 10%+Atrazine 20%OD 烟嘧磺隆 4%+硝磺草酮 10%+莠去津 20%OD		
	Penoxsulam 25g/L+Cyhalofop-butyl 10%OD, 五氟磺草胺 25g/L+氰氟草酯 10%, OD,		
	Tribenuron-methyl 25%+Thifensulfuron methyl 50% WDG 苯磺隆 25%+噻吩磺隆 50% WDG		
	Imazamox 33g/l+Imazapy acid 15g/ISL 甲氧咪草烟 33g/l+灭草烟 15g/ISL		
	Thifensulfuron methyl 500g/kg +Tribenuron-methyl 250g/kg+Florasulam 80g/kg WDG 噻吩磺隆 500g/kg +苯磺隆 250g/kg+双氟磺草胺 80g/kg WDG		
	Mesosulfuron-methyl 10g/L+Iodosulfuron-methyl 2g/L+ Mefenpyr-diethyl 30g/L OD 甲磺胺磺隆 10g/L+碘甲磺隆 2g/L+		

Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



	吡唑解草酯 30g/L OD
	Dicamba 65.9%+Triasulfuron 4.1%wdg 麦草畏 65.9%+醚苯磺隆 4.1%wdg
	Mesotrione 50g/L +Atrazine 500g/LSC 硝磺草酮 50g/L +莠去津 500g/LSC
	Cyhalofop-butyl 100g/L + Penoxsulam 13.33g/LOD 氰氟草酯 100g/L+五氟磺草胺 13.33g/L OD
	Florasulam 6g/L + 2,4-D Ethyhexyl acrylate 453g/L SE 双氟磺草胺 6g/l + 2,4D 453g/l SE (MOQ:5000L)
	24D Ethyhexyl acrylate 550g/L+ Florasulam 7.4g/L SE 双氟磺草胺 7.4g/l + 2,4D 550g/l SE (MOQ:5000L)

Plant growth regulator

	Products	Tech	Formulations
Plant growth promoter	DA-6 (Diethyl aminoethyl hexanoate)/胺鲜脂	98%TC	8%SP
	6BA (6-Benzylaminopurine)/6-苄氨基嘌呤	98%TC	2%SL, 1%SP
	Gibberellic acid(GA3) /赤霉素	90%TC	85% 结晶粉; 4%EC; 10%SP,20%SP
	GA4+7/赤霉素		
	Compound Sodium Nitrophenolate 复硝酚钠	98%TC	1.4%AS
	CPPU (Forchlorfenuron) /氯吡脞	98%-99.5%TC	0.1%SP, 0.1%SL
	NAA (Naphthylacetic Acid) 萘乙酸	98%TC	5%AS
	Triacntanol 三十烷醇	90%TC	1.5%EP (乳粉)
	Ethephon/乙烯利	85%TC 90% TC	480g/l SL=40%SL
	IAA (Indole-3-Acetic Acid) 吲哚乙酸	98%TC	
	IBA (Indole-3-Butyric Acid) 吲哚丁酸	98%TC	
	Brassinolide /芸苔素内酯	90%TC	0.01%SL
Plant retarder	DCPTA 增产胺	98%TC	
	Chlormequat /矮壮素	98%TC	50% SL 80% SP
	Prohexadione calcium 调环酸钙	90%, 92%TC	15%WDG
	Paclobutrazol/多效唑	95%TC	15%WP,25%WP, 30%WP,25%SC
	Cloruro de mepiquat /甲哌鎗	98%TC	50%AS, 8%SP, 25%AS, 96%SP
	Thidiazuron/噻苯隆	98%TC	50%WP
	Choline chloride 氯化胆碱	98%TC	60%AS, 50%WP
	Uniconazole 烯效唑	95%TC	

Growth retardant	S-ABA /脱落酸	98%TC	0.1-0.5%SL, 1-10%SP
The mixed formulation products	DA-6 3%+Ethephon 27%AS (Corn)		胺鲜酯 3%+乙烯利 27%AS
	IBA 1%+NAA 1%SP (Rooting powder)		吲哚丁酸 1%+萘乙酸 1%SP
	IBA 30%+NAA 20%SP		吲哚丁酸 30%+萘乙酸 20%SP
	DA-62.5%+Mepiquat chloride 27.5%AS		胺鲜酯 2.5%+甲哌啶 27.5%AS
	GA3 1.6%+Paclobutrazol 1.6%WP		GA3 1.6%+多效唑 1.6%WP
	Ethephon 9.5%+NAA .5%SL		乙烯利 9.5%+萘乙酸 0.5%SL
	Paclobutrazol 2.5%+Mepiquat chloride 7.5%WP (Anti-lodging)		多效唑 2.5%+甲哌啶 7.5%WP
	Paclobutrazol 1.6%+Gibberellic acid 1.6%WP		多效唑 1.6%+赤霉素 1.6%WP
	Prohexadione calcium 15%WDG+Mepiquat chloride 10%SP		调环酸钙 15%WDG+甲哌啶 10%SP
	6BA 1.8%+GA4+7, 1.8%SL (Expanded fruit)		6BA 1.8%+GA4+7, 1.8%SL
	Choline chloride 17%+NAA 1%WP		氯化胆碱 17%+萘乙酸 1%WP
	Forchlorfenuron 0.1%+1.5%Gibberellic acid SL		氯吡脞 0.1%+1.5%赤霉酸 SL
	Ethephon 40%+Thidiazuron 10%SC		乙烯利 40%+噻苯隆 10%SC
	Ethephon 40%+Thidiazuron 18%+Diuron 7%SC		乙烯利 40%+噻苯隆 18%+敌草隆 7%SC
Thidiazuron 36%+Diuron 18%SC, 500g/KG+250g/KG DF (Cotton defoliation)		噻苯隆 36%+敌草隆 18%SC	
Seeds treatments			
	Thiamethoxam 262.5g/L+Difenoconazole 25g/L+ Fludioxonil 25g/L FS		噻虫嗪 262.5g/L+苯醚甲环唑 25g/L+咯菌腈 25g/L FS
	Thiamethoxam 35%FS		噻虫嗪 35%FS
	Imidacloprid 60%FS, 70%WS		吡虫啉 60%FS, 70%WS
	Tebuconazole 6%,12%FS		戊唑醇 6%。12%FS
	Carboxin Standard 200g/l+Thiram 200g/l FS		萎锈灵 200g/l+福美双 200g/l FS
	Metalaxyl-M 10g/L+Fludioxonil 25g/L FS		精甲霜灵 10g/l+咯菌腈 25g/l FS
Special fertilizer			
1	EDDHA-Fe 6%		

Address: Hongsheng Business Building, Zhaiying South Street, Yuhua District, Shijiazhuang City, Hebei Province

Tel/Whatsapp/Wechat:008615081107713



	(O.O.O)4.80
2	Synergist Organic silicon 99% Insecticide/Fungicide
3	Corn oil Synergist herbicide