

中文名: 阿维菌素
英文名: Abamectin

产品属性

EINECS 编号 265-610-3
分子式 C₄₈H₇₂O₁₄
别名 Avermectin
CAS 编号 71751-41-2
产品分类 杀虫剂 insecticide

自定义属性


Appearance	
Density	1.24 g/cm ³
Molecular weight	873.07688
Melting point °C	150-155°C
Boiling point	940.9
Index of Refraction	1.571
Flash light point	268. 1
PH	4.5-7.0
UN	UN2588
Storage	Sealed tightly and stored away from light in a cool and dry place
Samples	Free
Express	DHL TXT FEDEX
Service	Door to door

交易信息

发货期限: Within 15~20days after confirming the order
常规包装: Solid: 25 kg fiber drum,25 kg bag or on the client's requirements.
1kg/aluminum foil bag ,10bags/CTN,800CTNS/20'FCL
25kg/drum,360drums/20'FCL
Liquid: 200 L,20 L drum,1 L,500 mL bottle or on the client's requirements
1L/bottle,10bottles/CTN,1000CTNS/20'FCL
200L/CTNS,80drums/20FCL

产品详情

Product discription

Product Name	Abamectin 18g/LEC	
CAS No.	65195-55-3	
Specification (COA)	Content: $\geq 1.8\%$ Water: $\leq 0.6\%$ PH: 4.5-7.0	

Mode of action
The mode of action is different from other insecticides. Thiachlopid can combine with the nicotinic acetylcholine receptor, thus interfering with the normal conduction of the insect's nervous system. Abamectin will make the insects more excited than usual and paralysis generalis

Targets
Insects, Spider mites, Diamondback moth

Crops
Cotton, Brassicaceous Vegetables, Rice

Main customer benefits
Longer Lasting Control
Consistent Performance
Secures Yield
New Mode of Action



Formulation	Crop	Insects	Dosage
18g/LEC	Cotton	spider mites	10.8-13.5g/ha.
	Brassicaceous Vegetables	diamondback moth	8.1-13.5g/ha.
	Rice	leaf-roller	11.25-13.5g/ha

Abamectin Description

Abamectin Cas 71751-41-2 is Insecticide and acaricide with contact and stomach action. Isolated from fermentation of *Streptomyces avermitilis*, a naturally occurring soil Actinomycete.

Advantage of Abamectin

1. The pesticide property will not be slipped after washing out by rain.
2. High content and good storage stability.
3. Easy to use, and good control effect.
4. 5 to 50 times insecticidal activities and acaricidal activities of than common insecticides. Application dosage is only 1% to 2% of the dosage of common insecticides.
5. The product is enviromental, safety to crops.
6. The product has good effect in both prevetion and insecticidal action.

Applications

Control of motile stages of mites, leaf miners, suckers, Colorado beetles, etc. on ornamentals, cotton, citrus fruit, pome fruit, nut crops, vegetables, potatoes, and other crops. Also used for control of nematodes by seed treatment, and of fire ants.

Abamectin Dosage

Formulation	Crop	Insects	Dosage
1.8%EC	Cotton	spider mites	10.8-13.5g/ha.
	Brassicaceous Vegetables	diamondback moth	8.1-13.5g/ha.
	Rice	leaf-roller	11.25-13.5g/ha

Our Services

- 1.24 hours online, and answer your questions at any time.
- 2.We promise to solve all the customers'problem for the day,or within 3 days if any spcial cases,or the first day after our festival and holiday.
3. My company have the professional pre-sale team,gurantee the lowest prices,the high quality.
4. We promise customers receive the goods within ten days.If the goods have any not satisfied,as long as the goods with out using, packing intergity,can enjoy the unconditional return service.
5. Professional registration support.
- 6.Customer required package is available.
- 7.OEM production can be provided based on customers' needs.
8. for customer convenience, we can provide door-to-door, don't need the customer clearance

最小起订量	20 Liter/Liters
FOB 价格	USD 4~10 / Liter
港口	Tianjin,Shanghai,Qingdao
付款方式	L/C D/A T/T
供货能力	100000 Liter/Liters / Month

常规包装

Solid:25 kg fiber drum,25 kg bag or on the client's requirements.

Liquid:200 L, 20 L drum, 1 L,500 mL bottle or on the client's requirements.

发货期限

Within 15~20days after confirming the order..

Customized label display

